Pg: 1/3 - 1/4 ER SUPPL

2014 MAY 30 AM 9: 13

## MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION

CCR CERTIFICATION
CALENDAR YEAR 2013
Town of Tylortown
Public Water Supply Name

PWS ID# 074005

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.

Customers were informed of availability of CCR by: (Attach copy of p	oublication, water bill or other)
Advertisement in local paper (attach copy of advertise On water bills (attach copy of bill) Email message (MUST Email the message to the addotter	sement) dress below)
Date(s) customers were informed: 5 /08/14. / /	
CCR was distributed by U.S. Postal Service or other direct delivementhods used ** Noted on water bills **	ery. Must specify other direct delivery
Date Mailed/Distributed: 5 /29 / 14	
CCR was distributed by Email (MUST Email MSDH a copy)  As a URL (Provide URL  As an attachment  As text within the body of the email message	Date Emailed: / /
CCR was published in local newspaper. (Attach copy of published CC	R or proof of publication)
Name of Newspaper: Tyler-town Times	- * * *
Date Published: 5 / 8 / 14	
CCR was posted in public places. (Attach list of locations)	Date Posted: / /
CCR was posted on a publicly accessible internet site at the following a	nddress ( <u>DIRECT URL REQUIRED</u> ):
CERTIFICATION I hereby certify that the 2013 Consumer Confidence Report (CCR) has be public water system in the form and manner identified above and that I the SDWA. I further certify that the information included in this CCR is the water quality monitoring data provided to the public water system Department of Health, Bureau of Public Water Supply.  Name Title (President, Mayor Order, etc.)	een distributed to the customers of this used distribution methods allowed by true and correct and is consistent with m officials by the Mississippi State

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

# 2014 MAY -5 PM 12: 32

## 2013 Annual Drinking Water Quality Report Town of Tylertown PWS#: 0740005 April 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Pascagoula & Miocene Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Tylertown have received lower rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Michael Grubbs at 601.876.4011. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 6:00 PM at the City Hall.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2013. In cases where monitoring wasn't required in 2013, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contami	nants						

10. Barium	N	2013	.07	No Range	pı	om	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2013	1.3	No Range	pj	ob	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	Z	2009/1	1* .1	0	ÞI	om	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013	.73	No Range	pį	om	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/1	1* 1	0	pr	ob	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	n By-	Product	S						
81. HAA5	N	2013	2	No Range	ppb		0		By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2013	6.3	No Range	ppb		0		By-product of drinking water chlorination.
Chlorine	N	2013	1.4	.80 – 2	mg/l		0 MR		Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2013.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our water system is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 67%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Town of Tylertown works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

<sup>\*\*</sup> Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

The control of the co

of Tylentown have received specifically in the contempts point rotate vigility. Possed devided declared faculties in Earl 177, 617 ft. with the final representations should be proposed to the contempts point rotate vigility. Possed devided declared faculties in Earl 177, 617 ft. with the final contempts of the contempts point rotate vigility. Possed devided declared in Earl 177, 617 ft. (e.g., 177) ft. (e.g., 1

n this table you will find injury estima and abbraviations you might not be familiar with. To help you halter unclefs and diseas terms wave provided the following daily/flores:

on Contentions Level (ACC) - The "Mechanin Alexed" (MCL) is the legislative and a controller, that is allowed in chidding (ACL) are set as close to the MCL (se as foreign under the level products (including).

Madeful Conference of Good (ACC.G) - The "Good (ACC.LG) is the level of a conference in dentury water below which there is no move or opposed rick to heath. MCL.Co. altaw for a movin or opposed rick to heath. MCL.Co. altaw for a movin or opposed.

Maximum Projektival Delatificatival Liernic (MRDL) — The highest tevid of a distribution reliciond to deleting visitor. There is a reference that neighbor of a distribution in minimum by the computational contemplates.

notioned final accidence of g operaculants a management for the proof of a direction water obtained and before it is no term flexibility for the proof of the proof of a direction water obtained and before it is no term and provided and contained the proof of the p

Parta per bilices (apps) or Alterogramus per liter - one part per billion corresponds to one militals in 2,000 years, or a single parmy in 140,000,000.

1.1	2 4 1			TEST RES	ULTS	:	٠.	
Consumble	Viviosos . YA	Date Geffeeled	Level Dofercted	Range of Descrit of # of Semples Exceeding NGUAGUAROK	MAAAGUAA -TOANS	MCLC	MCL	Likely Source of Coreamenation
Inorganic	Contan	ninants						
								Claritarga from metal minuries; accusion of natural deposits
13. Chromken	N	2019	1,5	No Plange	ppb	100	. 100	Distribuye from stool and pulp miles crosion of natural deposits.
74. Copper	N	2003/11	.4	0	DENI .	1.3	AL=1.	3 Contration of household pharetying systems; existion of contrat deposite; leaching from many preservatives.
IC Fluorida	14	oona	.78	No Hange	ppm	-1	,	Friction of retired deposits: water bodyline which promotes along tody, discharge from furtilizer and storerum factories
17. (++d		2002/11	*	O	100	0	AL=15	Concesion of household planning systems, erosion of natural deposits
Disinfectio	n By-Pı	roducts	· · .					· .
AT HAVE	H	2018 2	2	b Plantie ppb		ū	60	By-Product of deletting water drinkfactions
io titul Total Madricantana)			N 62.	o Renge opo		0	80	By-product of philiding water chloritudion.
Chilorina		2013 1	A	10−2, mg/		0 · MTU		Water additive cased to coronal microbes

for movem brought. This temple required for 2013.

Thirding feel of a confidence of the 48 State Mail of Intalia's recommendate feed of 27.1.1 most.

The confidence of a confidence of the 48 State Mail of Intalia's recommendate feed of 27.1.1 most.

The confidence of the table, our postern had no violations. Worke proud that your denking writer meets or exceeds all Federal and State intermeters. We have been detected in our reconstruction and testing that some consultaneous force been detected however the EPA his minimal that your worker IS GAFE at those levels.

Obon, devoted levels of lead case causes auchous health problems, avainably for prognent tenones and young children. Look as they water is primarily from malactals and comparisons associated with several horse part from particular particular consider for providing high quality devideng water, but connot control for winder of managed used in provincing commonents. When water has been sating for several hours, you can instantive the potential for look opposite by facility you take for sits exercise to 2 and before basing what for distincing or considers. If you are concepted whether lead in your water, you may which to have your water of information on hald its children water, taking mathedas, and steeps you can take to making the provincing of Water Holling or of http://www.dept.de/site/instantials. The Managed Later Department of I lead the Public Health Laboratory texts described.

I isomose of shirtding writer are subject to potential conformination by outstances that are naturally occurring or man made. I have foliabled and can be invised, integrate or organic chandrade and relocative substances. All dishfory water, including labbed water, by casewordly be expected to careful and the least and smarrative of some conforminant. The processor of conforminants deep resources in additionally the expected to careful and the least and smarrative of some conforminants. The processor of conforminant deep controlled and the conforminant and conforminants and potential health effects can be strictly indicated by the conforminant for the conforminant conforminants and potential health effects can be strictly to the formation of the formation and conforminants and potential health effects can be strictly to the formation of the form

### PROOF OF PUBLICATION

STATE OF MISSISSIPPI, COUNTY OF WALTHALL

Personally appeared before me, the undersigned authori-Personally appeared before me, the undersigned authority in and for the county and state atoreasid Carolyn Dillion who is Editor-Publisher of The Tyloritown Times, a newspaper printed end published in the Town of Tylertown. Waltholl County, Mississippi, who being by me first duly sworn, states on oath that The Tylertown Times, a newspaper as aforexaid, has been a duly established newspaper published in and having a gangeal circulation in the Town of Tylertown Waltholl County Market Waltholl County Material County Microscope. Twerfown, Walthall County, Mississippl for more than twelve months prior to the date of the first publication of the notice herein ballow specified and that in said paper a certain notice, a printed copy of which is hereto attached, has been made and published in said newspaper for \_\_\_\_/\_\_\_ weeks, consecutive, as follows, to-wil:

weeks, consecutive, as follows, to-wit: On the 8 th day of May \_day of \_\_ \_\_\_\_ On the \_\_\_\_day of \_\_ Carolyn Dillon Editor Publisher The Tylertown Times

Swom to and subscribed before me, on this the

May

## The Tylertown Times

727 Beulah Ave. Box 72, Tylertown, MS 39667 E-mail: tylertowntoxs@bellsouth.net (601) 876-5111 - (601) 876-5280 (FAX)



